according to Regulation (EC) No. 1907/2006



## BONZI

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
14.0	15.06.2017	S172641378	sions.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	BONZI
Design code	:	A10784A
Product Registration number	:	MAPP 17576

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	:	Plant growth regulator
stance/Mixture		

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Syngenta UK Limited CPC4, Capital Park Fulbourn, Cambridge CB21 5XE United Kingdom
Telephone	:	+44 (0) 1223 883400
Telefax	:	+44 (0) 1223 882195
E-mail address	:	customer.services@syngenta.com

### **1.4 Emergency telephone number**

Emergency telephone	: +44 1484 538444
number	

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Hazard statements	:	H411 Toxic to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	EUH401To avoid risks to human health and the envi- ronment, comply with the instructions for use.EUH208Contains 1,2-benzisothiazol-3-one. May pro-

according to Regulation (EC) No. 1907/2006



BONZI						
Version 14.0	Revision Date: 15.06.2017	SDS Number: S172641378	This version replaces all previous ver- sions.			
		duce an allergic re	action.			
Precau	itionary statements	: Response: P391 Collect spi	llage.			
		Disposal:				
		P501 Dispose of disposal plant.	contents/ container to an approved waste			
Precau	itionary statements	ardous-waste dis for empty triple r	of contents/container to a licensed haz- posal contractor or collection site except nsed clean containers which can be dis- hazardous waste.			

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
paclobutrazol	76738-62-0	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Repr. 2; H361d Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.3 - < 1
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400	< 0.05

For explanation of abbreviations see section 16.

:

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice

Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

according to Regulation (EC) No. 1907/2006



ersion 4.0	Revision Date: 15.06.2017	SDS Number: S172641378	This version replaces all previous ver- sions.		
lf inha	aled	If breathing tion. Keep patie	rictim to fresh air. g is irregular or stopped, administer artificial respira nt warm and at rest.		
In case of skin contact		: Take off al Wash off ir If skin irrita	<ul> <li>Call a physician or poison control centre immediately.</li> <li>Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.</li> </ul>		
In case of eye contact		for at least Remove co	Rinse immediately with plenty of water, also under the eyelid for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.		
If swallowed		container o	ed, seek medical advice immediately and show this or label. duce vomiting.		

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: No information available.
----------	-----------------------------

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	There is no specific antidote available.
		Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray		
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.		
5.2 Special hazards arising from the substance or mixture				

Specific hazards during fire-	:	As the product contains combustible organic components, fire
fighting		will produce dense black smoke containing hazardous prod-
		ucts of combustion (see section 10).
		Exposure to decomposition products may be a hazard to
		health.

according to Regulation (EC) No. 1907/2006



## BONZI

Version 14.0	Revision Date: 15.06.2017		DS Number: 72641378	This version replaces all previous ver- sions.
	e for firefighters			
•	ial protective equipment efighters	:	paratus.	ve clothing and self-contained breathing ap-
Furth	er information	:	courses.	off from fire fighting to enter drains or water ainers exposed to fire with water spray.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
C 2 Matheada and material far as		

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	<ul> <li>Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to loca / national regulations (see section 13).</li> <li>Clean contaminated surface thoroughly.</li> <li>Clean with detergents. Avoid solvents.</li> <li>Retain and dispose of contaminated wash water.</li> </ul>	
-------------------------	--	--

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	<ul> <li>No special protective measures against fire required.</li> <li>Avoid contact with skin and eyes.</li> <li>When using do not eat, drink or smoke.</li> <li>For personal protection see section 8.</li> </ul>
	For personal protection see section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	No special storage conditions required. Keep containers tight- ly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.
Other data	:	Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

according to Regulation (EC) No. 1907/2006



## BONZI

	-		
Version 14.0	Revision Date: 15.06.2017	SDS Number: S172641378	This version replaces all previous ver- sions.

### 7.3 Specific end use(s)

Specific use(s)

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

### **SECTION 8: Exposure controls/personal protection**

2

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propane-1,2-diol	57-55-6	TWA (particles)	10 mg/m3	GB EH40
Further information		cific short-term expo osure should be use	osure limit is listed, a figure th d	ree times the
	57-55-6	TWA (Total va- pour and parti- cles)	150 ppm 474 mg/m3	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
paclobutrazol	76738-62-0	TWA	5 mg/m3	Syngenta

#### 8.2 Exposure controls

#### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

E		No encoded and a structure south as any land
Eye protection	•	No special protective equipment required.

Hand protection

Material Break through time Glove thickness	-	Nitrile rubber > 480 min 0.5 mm
Remarks	:	Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi- tions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

according to Regulation (EC) No. 1907/2006



BONZI			
Version 14.0	Revision Date: 15.06.2017	SDS Number: S172641378	This version replaces all previous ver- sions.
			d protective gloves have to satisfy the specifica- Directive 89/686/EEC and the standard EN 374 n it.
Skin ar	nd body protection	tration and cific work-p	d wash contaminated clothing before re-use. propriate:
Respira	atory protection	quired. When work	I respiratory protective equipment normally re- ers are facing concentrations above the exposure ust use appropriate certified respirators.
Protect	tive measures	over the use When selec	echnical measures should always have priority of personal protective equipment. ting personal protective equipment, seek appro- ssional advice.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance	:	suspension
Colour Odour	:	light green to dark green aromatic
Odour Threshold	:	No data available
рН	:	5 - 9 Concentration: 1 % w/v
Boiling point/boiling range	:	100 °C
Flash point	:	> 102 °C(1016.0 hPa) Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Upper explosion limit	:	No data available
Upper explosion limit Lower explosion limit	:	No data available No data available
	: : :	
Lower explosion limit	: : :	No data available
Lower explosion limit Relative vapour density	:	No data available No data available

according to Regulation (EC) No. 1907/2006



## BONZI

Version 14.0	Revision Date: 15.06.2017	SDS Number: S172641378	This version replaces all previous ver- sions.
Viscosity Viscosity, dynamic		: 25 - 162 mF	Pa.s (20 °C)
		21 - 120 mF	Pa.s (40 °C)
Explo	osive properties	: Not explosiv	/e
Oxidi	zing properties	: The substar	nce or mixture is not classified as oxidizing.
9.2 Other	information		
Surfa	ice tension	: 49.3 mN/m,	20 °C

### **10.1 Reactivity**

None reasonably foreseeable.

#### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

### 10.5 Incompatible materials

Materials to avoid : None known.

### **10.6 Hazardous decomposition products**

Combustion or thermal decomposition will evolve toxic and irritant vapours.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

Product:	
----------	--

Acute oral toxicity	:	LD50 (Rat, female): > 5,000 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Remarks: Derived from components.
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg
Components:		
paclobutrazol: Acute oral toxicity	:	LD50 (Rat, female): 1,336 mg/kg

according to Regulation (EC) No. 1907/2006



SONZ	-				
ersion 1.0	Revision Date: 15.06.2017	SDS Number: S172641378	This version replaces all previous ver- sions.		
		LD50 (Rat,	male): 1,954 mg/kg		
Acute inhalation toxicity		Exposure t	female): 3.13 mg/l ime: 4 h :phere: dust/mist		
		Exposure t	male): 4.79 mg/l ime: 4 h phere: dust/mist		
Acute	Acute dermal toxicity :		LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity		
1,2-b	enzisothiazol-3(2H)-c	one:			
Acute	oral toxicity		ity estimate: 500 mg/kg onverted acute toxicity point estimate		
		Assessmer single inge	nt: The component/mixture is moderately toxic aftents stion.		
Skin	corrosion/irritation				
Produ	uct:				
	es: Rabbit t: No skin irritation				
<u>Com</u>	oonents:				
paclo	butrazol:				
	es: Rabbit t: No skin irritation				
1,2-b	enzisothiazol-3(2H)-c	one:			
Asses	ssment: Irritating to ski	n.			
Serio	us eye damage/eye i	rritation			
<u>Produ</u>	uct:				
	es: Rabbit t: No eye irritation				
<u>Com</u>	oonents:				
paclo	butrazol:				
	es: Rabbit t: Irritation to eyes, rev	versing within 7 da	iys		
1.2-b	enzisothiazol-3(2H)-c	one:			
	ti luna vanaible offecte e				

Result: Irreversible effects on the eye

according to Regulation (EC) No. 1907/2006



## BONZI

Version 14.0 Revision Date: 15.06.2017

SDS Number: S172641378 This version replaces all previous versions.

#### Respiratory or skin sensitisation

#### Product:

Test Type: Buehler Test Species: Guinea pig Result: Did not cause sensitisation on laboratory animals.

#### **Components:**

#### paclobutrazol:

Species: Guinea pig Result: Does not cause skin sensitisation.

#### 1,2-benzisothiazol-3(2H)-one:

Result: May cause sensitisation by skin contact.

#### Germ cell mutagenicity

#### **Components:**

### paclobutrazol:

Germ cell mutagenicity- As-	:	Animal testing did not show any mutagenic effects.
sessment		

#### Carcinogenicity

#### **Components:**

# paclobutrazol:

```
Carcinogenicity - Assess- : No evidence of carcinogenicity in animal studies. ment
```

#### **Reproductive toxicity**

#### **Components:**

#### paclobutrazol:

Reproductive toxicity - As-	:	Some evidence of adverse effects on development, based on
sessment		animal experiments., Animal testing did not show any effects
		on fertility.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 14.9 mg/l Exposure time: 96 h
Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l

according to Regulation (EC) No. 1907/2006



BONZ	<u>'</u>			
Version 14.0	Revision Date: 15.06.2017		OS Number: 72641378	This version replaces all previous ver- sions.
aqua	tic invertebrates		Exposure time: 4	8 h
Toxic	Toxicity to algae		ErC50 (Lemna gi Exposure time: 7	bba (gibbous duckweed)): > 100 mg/l d
			NOEC (Lemna gi End point: Growt Exposure time: 7	
Com	ponents:			
pacle	obutrazol:			
Toxic	city to fish	:	LC50 (Oncorhyno Exposure time: 9	chus mykiss (rainbow trout)): 27.8 mg/l 6 h
			LC50 (Lepomis n Exposure time: 9	nacrochirus (Bluegill sunfish)): 23.6 mg/l 6 h
	city to daphnia and other tic invertebrates	:	EC50 (Daphnia n Exposure time: 4	nagna (Water flea)): > 29 mg/l 8 h
			EC50 (Mysidopsi Exposure time: 7	s bahia (opossum shrimp)): > 9 mg/l 2 h
Toxic	city to algae	:	ErC50 (Pseudoki	rchneriella subcapitata (green algae)): >

Toxicity to algae	<ul> <li>ErC50 (Pseudokirchneriella subcapitata (green algae)): &gt; 15.2 mg/l Exposure time: 96 h</li> </ul>

ErC50 (Lemna gibba (gibbous duckweed)): 0.0283 mg/l Exposure time: 7 d

NOEC (Lemna gibba (gibbous duckweed)): 0.002 mg/l End point: Growth rate Exposure time: 7 d

M-Factor (Acute aquatic tox-	:	10
icity)		

Toxicity to fish (Chronic tox- icity)	:	NOEC: 0.049 mg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.32 mg/l Exposure time: 22 d Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic : 10 toxicity)

## Ecot

Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



BONZI						
Version Rev	vision Date: 06.2017		DS Number: 172641378	This version replaces all previous ver- sions.		
1,2-benziso	othiazol-3(2H)-or	ie:				
Ecotoxicol	ogy Assessmen	t				
Acute aqua	tic toxicity	:	Very toxic to aqua	atic life.		
12.2 Persistenc	e and degradabi	ility				
Componen	<u>its:</u>					
paclobutra	zol:					
Biodegrada	bility	:	Result: Not readil	y biodegradable.		
Stability in v	water	:	Degradation half life: 167 - 1,378 d Remarks: Persistent in water.			
12.3 Bioaccum	ulative potential					
<u>Componen</u>	nts:					
paclobutra	zol:					
Bioaccumul	lation	:	Remarks: Does n	ot bioaccumulate.		
12.4 Mobility in	soil					
<u>Componen</u>	<u>nts:</u>					
paclobutra	zol:					
Distribution mental com	among environ- partments	:	Remarks: Modera	ately mobile in soils		
Stability in s	soil	:	: Dissipation time: 43 - 634 d			
			Percentage dissipation: 50 % (DT50) Remarks: Persistent in soil.			
12.5 Results of	PBT and vPvB a	isse	ssment			
Product:						
Assessmen	ıt	:	to be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of		
Componen	<u>its:</u>					
paclobutra						
Assessmen		:	: This substance is not considered to be persistent, bioaccumulating and toxic (PBT) This substance is not considered to be very persistent and very bioaccumulating (vPvB)			
12.6 Other adve	erse effects					
No data ava						

according to Regulation (EC) No. 1907/2006



# BONZI

Version	Revision Date:
14.0	15.06.2017

SDS Number: S172641378 This version replaces all previous versions.

### **SECTION 13: Disposal considerations**

Product	<ul> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Do not dispose of waste into sewer.</li> <li>Where possible recycling is preferred to disposal or incineration.</li> <li>If recycling is not practicable, dispose of in compliance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Triple rinse containers.</li> <li>Empty containers should be taken to an approved waste han- dling site for recycling or disposal.</li> <li>Do not re-use empty containers.</li> </ul>
Waste Code	<ul> <li>uncleaned packagings</li> <li>150110, packaging containing residues of or contaminated by dangerous substances</li> </ul>

## **SECTION 14: Transport information**

### 14.1 UN number

Α	DN	:	UN 3082
Α	DR	:	UN 3082
R	ID	:	UN 3082
IN	MDG	:	UN 3082
IA	ATA	:	UN 3082
14.2 U	IN proper shipping name		
A	DN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PACLOBUTRAZOL)
Α	DR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PACLOBUTRAZOL)
R	ID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PACLOBUTRAZOL)
IN	/IDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PACLOBUTRAZOL)
IA	ATA	:	Environmentally hazardous substance, liquid, n.o.s. (PACLOBUTRAZOL)

### 14.3 Transport hazard class(es)

according to Regulation (EC) No. 1907/2006



/ersior	Revision Date:	SL	S Number:	This version replaces all previous ver-
14.0	15.06.2017		72641378	sions.
A	ON	:	9	
A	DR	:	9	
RI	D		9	
	DG		9	
	TA		9	
	acking group	·	5	
	<b>DN</b> acking group		111	
	assification Code	:	M6	
	azard Identification Number	:	90	
	bels	:	9	
	DR			
	acking group assification Code	:	III M6	
	azard Identification Number	÷	90	
	bels	:	9	
Τι	innel restriction code	:	(-)	
RI				
	acking group assification Code	:	III M6	
	azard Identification Number	÷	90	
	bels	:	9	
IM	DG			
	acking group	:		
	lbels nS Code	:	9	
		•	F-A, S-F	
	TA (Cargo) acking instruction (cargo		964	
	craft)	•	504	
Pa	acking instruction (LQ)	:	Y964	
	acking group	:	 Missellaneous	
	bels	·	Miscellaneous	
	<b>TA (Passenger)</b> acking instruction (passen-	:	964	
	er aircraft)	•	304	
Pa	acking instruction (LQ)	:	Y964	
	acking group	:	 Miacolloneouo	
	bels	:	Miscellaneous	
	nvironmental hazards			
	<b>DN</b> Ivironmentally hazardous	:	yes	
	DR .			
Er	vironmentally hazardous	:	yes	
<b>RI</b> Er	<b>D</b> vironmentally hazardous	:	yes	
IMDG		-	,	

according to Regulation (EC) No. 1907/2006



## BONZI

DONZ	.1				
Version 14.0	Revision Date: 15.06.2017	SDS Number: S172641378	This version replaces all previous ver- sions.		
Marir	ne pollutant	: yes			
IATA (Passenger) Marine pollutant		: yes			
IATA (Cargo) Marine pollutant		: yes			
14.6 Special precautions for user Not applicable					
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable for product as supplied.					
SECTION 15: Regulatory information					

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E2	ENVIRONMENTAL	200 t	500 t
	HAZARDS		

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Use plant protection products safely. Always read the label and product information before use.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

### **SECTION 16: Other information**

#### Full text of H-Statements

H302 H315 H317 H318 H319 H332 H361d H400		Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Harmful if inhaled. Suspected of damaging the unborn child. Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	าร	
Acute Tox. Aquatic Acute	:	Acute toxicity Acute aquatic toxicity
Aquatic Chronic	:	Chronic aquatic toxicity
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Repr.	:	Reproductive toxicity

according to Regulation (EC) No. 1907/2006



## BONZI

Version 14.0	Revision Date: 15.06.2017	SDS Number: S172641378	This version replaces all previous ver- sions.

Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 2 H411

Classification procedure: On basis of test data.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN